

Refine Search

Search Results -

Terms	Documents
(translated or object code or machine code or binary code) near4 stor\$ near4 database\$	65

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L27

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, February 05, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L27</u>	(translated or object code or machine code or binary code) near4 stor\$ near4 database\$	65	<u>L27</u>
<u>L26</u>	(translated or object code or machine or binary code) near4 stor\$ near4 database\$	387	<u>L26</u>
<u>L25</u>	(translated or object code or machine or binary code) near4 database\$	2179	<u>L25</u>
<u>L24</u>	(translated or machine code\$) near4 database\$	5	<u>L24</u>
<u>L23</u>	L22 and (database\$ or data base\$)	1	<u>L23</u>
<u>L22</u>	5930509.pn.	1	<u>L22</u>
<u>L21</u>	L20 and database\$	0	<u>L21</u>
<u>L20</u>	5958061.pn.	1	<u>L20</u>
<u>L19</u>	(translated code or machine code) near4 database\$	8	<u>L19</u>
<u>L18</u>	(translated binary) near4 database\$	1	<u>L18</u>
<u>L17</u>	(translated binary code) near4 database\$	0	<u>L17</u>

<u>L16</u>	L15 and translat\$ and execut\$ and memory\$	190	<u>L16</u>
<u>L15</u>	binary near4 database\$	417	<u>L15</u>
<u>L14</u>	L13 and translate near5 code\$ near5 (binary or object or machine\$)	40	<u>L14</u>
<u>L13</u>	L12 and execut\$ and memory\$	4222	<u>L13</u>
<u>L12</u>	(binary or object or translated\$) near3 database\$	5909	<u>L12</u>
<u>L11</u>	11 and (memory or stor\$)	1	<u>L11</u>
<u>L10</u>	11 and translated	1	<u>L10</u>
<u>L9</u>	17 and hash\$	46	<u>L9</u>
<u>L8</u>	11 and hash\$	0	<u>L8</u>
<u>L7</u>	binary near4 (object\$ or translated\$) near4 database\$	112	<u>L7</u>
<u>L6</u>	translated code near3 database	3	<u>L6</u>
<u>L5</u>	11 and (database or stor\$)	1	<u>L5</u>
<u>L4</u>	11 and binary	1	<u>L4</u>
<u>L3</u>	L2 and translat\$	1	<u>L3</u>
<u>L2</u>	L1 and identif\$	1	<u>L2</u>
<u>L1</u>	5805895.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 and (transfer\$ or translat\$) same foreign	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

 DATE: Thursday, February 05, 2004 [Printable Copy](#) [Create Case](#)

 Set
 Name
 side by
 side

Query

 Hit
 Count

 Set
 Name
 result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L43</u>	11 and (transfer\$ or translat\$) same foreign	1	<u>L43</u>
<u>L42</u>	(sav\$ or stor\$ or keep\$) near4 disk sector	1	<u>L42</u>
<u>L41</u>	disk sector	1797	<u>L41</u>
<u>L40</u>	(SAVE OE STOR\$) NEAR5 DISK SECTOR	0	<u>L40</u>
<u>L39</u>	11 and disk\$	1	<u>L39</u>
<u>L38</u>	132 and identif\$	1	<u>L38</u>
<u>L37</u>	11 and (identi\$)	1	<u>L37</u>
<u>L36</u>	11 and load\$	1	<u>L36</u>
<u>L35</u>	132 and hash\$	0	<u>L35</u>
<u>L34</u>	11 and translated	1	<u>L34</u>
<u>L33</u>	L32 and database\$	1	<u>L33</u>
<u>L32</u>	5835768.pn. (Machine code or binary code or object code\$) near4 stor\$ near4	1	<u>L32</u>

<u>L31</u>	database\$	10	<u>L31</u>
<u>L30</u>	translated near3 (code\$ or program\$ or block\$) near3 (stor\$ or sav\$) near4 database\$	5	<u>L30</u>
<u>L29</u>	L28 and database\$	1	<u>L29</u>
<u>L28</u>	6654782.pn.	1	<u>L28</u>
<u>L27</u>	(translated or object code or machine code or binary code) near4 stor\$ near4 database\$	65	<u>L27</u>
<u>L26</u>	(translated or object code or machine or binary code) near4 stor\$ near4 database\$	387	<u>L26</u>
<u>L25</u>	(translated or object code or machine or binary code) near4 database\$	2179	<u>L25</u>
<u>L24</u>	(translated or machine code\$) near4 database\$	5	<u>L24</u>
<u>L23</u>	L22 and (database\$ or data base\$)	1	<u>L23</u>
<u>L22</u>	5930509.pn.	1	<u>L22</u>
<u>L21</u>	L20 and database\$	0	<u>L21</u>
<u>L20</u>	5958061.pn.	1	<u>L20</u>
<u>L19</u>	(translated code or machine code) near4 database\$	8	<u>L19</u>
<u>L18</u>	(translated binary) near4 database\$	1	<u>L18</u>
<u>L17</u>	(translated binary code) near4 database\$	0	<u>L17</u>
<u>L16</u>	L15 and translat\$ and execut\$ and memory\$	190	<u>L16</u>
<u>L15</u>	binary near4 database\$	417	<u>L15</u>
<u>L14</u>	L13 and translate near5 code\$ near5 (binary or object or machine\$)	40	<u>L14</u>
<u>L13</u>	L12 and execut\$ and memory\$	4222	<u>L13</u>
<u>L12</u>	(binary or object or translated\$) near3 database\$	5909	<u>L12</u>
<u>L11</u>	l1 and (memory or stor\$)	1	<u>L11</u>
<u>L10</u>	l1 and translated	1	<u>L10</u>
<u>L9</u>	l7 and hash\$	46	<u>L9</u>
<u>L8</u>	l1 and hash\$	0	<u>L8</u>
<u>L7</u>	binary near4 (object\$ or translated\$) near4 database\$	112	<u>L7</u>
<u>L6</u>	translated code near3 database	3	<u>L6</u>
<u>L5</u>	l1 and (database or stor\$)	1	<u>L5</u>
<u>L4</u>	l1 and binary	1	<u>L4</u>
<u>L3</u>	L2 and translat\$	1	<u>L3</u>
<u>L2</u>	L1 and identif\$	1	<u>L2</u>
<u>L1</u>	5805895.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

First Hit Fwd Refs



Generate Collection

Print

L7: Entry 1 of 112

File: USPT

Nov 25, 2003

DOCUMENT-IDENTIFIER: US 6654782 B1

TITLE: Modular framework for dynamically processing network events using action sets in a distributed computing environment

CLAIMS:

8. A system according to claim 7, further comprising: the storage manager further maintaining the action set as a binary large object (BLOB) within the database.

21. A method according to claim 20, further comprising: maintaining the action set as a binary large object (BLOB) within the database.

33. A storage medium according to claim 32, further comprising: maintaining the action set as a binary large object (BLOB) within the database.





Try the

Search Results

Search Results for: **[executing and foreign and native and processor and binary and translate]**

Found **38** of **126,861** searched.

Search within Results



[> Advanced Search](#)

[> Search Help/Tips](#)

Sort by: [Title](#) [Publication](#) [Publication Date](#) [Score](#)  [Binder](#)

Results 1 - 20 of 38 [short listing](#)



1

2



1  **PELLPACK: a problem-solving environment for PDE-based applications** 82%

on multicomputer platforms

E. N. Houstis , J. R. Rice , S. Weerawarana , A. C. Catlin , P. Papachiou , K.-Y. Wang , M. Gaitatzes

ACM Transactions on Mathematical Software (TOMS) March 1998

Volume 24 Issue 1

The article presents the software architecture and implementation of the problem-solving environment (PSE) PELLPACK for modeling physical objects described by partial differential equations (PDEs). The scope of this PSE is broad, as PELLPACK incorporates many PDE solving systems, and some of these, in turn, include several specific PDE solving methods. Its coverage for 1D, 2D, and 3D elliptic or parabolic problems is quite broad, and it handles some hyperbolic problems. Since a PSE should p ...

2  **Intrusion detection: Randomized instruction set emulation to disrupt** 80%

binary code injection attacks

Elena Gabriela Barrantes , David H. Ackley , Trek S. Palmer , Darko Stefanovic , Dino Dai Zovi

Proceedings of the 10th ACM conference on Computer and communication security October 2003

Binary code injection into an executing program is a common form of attack. Most current defenses against this form of attack use a 'guard all doors' strategy, trying to block the avenues by which execution can be diverted. We describe a complementary method of protection, which disrupts foreign code execution regardless of how the code is injected. A unique and private machine instruction set for each executing program would make it difficult for an outsider to design binary attack code against ...